

TFT Set

WIRELESS CCD OBSERVATION SYSTEM with 5-inch TFT LCD Monitor and 2.4 GHz Color CCD Camera

SPECIFICATIONS:

- 1/4-inch color CCD camera with vari-focal lens
- 5-inch TFT LCD color monitor built in 2.4 GHz wireless 4-channel receiver
- 330 TV lines with 290,000 pixels, 2 lux at F1.4
- Distance: 100 meters (outdoor)
- NTSC system format
- One A/V input and output
- 2.4 GHz wireless extra mini color CCD camera:
 - Standard: NTSC
 - Pick-up elements: 1/4 inch DSP color CCD sensor
 - Frequency 4 channel slide switch PLL control:
 - CH1: 2413MHz
 - CH2: 2432MHz
 - CH3: 2451MHz
 - CH4: 2470MHz
- Frequency deviation: 0 to 40 degrees Celsius, typ.: +/-200kHz
- RF output power: Vcc: 9V, 50 ohms load, minimum: 30mW, typ.: 50mW
- Antenna: Dipole



CM2222S



SPECIFICATIONS:

- Imager: 1/3-inch CMOS imager sensor
- Scanning: 2:1 Interlace
- Shutter: 1/60 to 1/15,000 sec
- Picture Element: PAL: 628(H) x 582(V)
NTSC: 510(H) x 492(V)
- Effective Image Area: 4.69mm x 3.54mm
- S/N Ratio: 48db (AGC on) 33%
- Fixed Pattern Noise: Vp-p
- Dark Current: 0.2nA/cm²
- Dynamic Range: 72db
- Operation Voltage: 5 VDC ± 0.2V
- Operation Current: 130mA

MINIATURE 2.4 GHz WIRELESS CAMERA

- Lens: F5.58mm F2.4 FOV60°
- Modulation (300KHz 1 Vp-p): +/- 15MHz
- Differential Gain: +/- 5%
- Channel Frequency Output

	Ch 1	Ch2	Ch3	Ch4
Power:	2.410 ^{GHz}	2.450 ^{GHz}		
2.430 ^{GHz}				
2.470 ^{GHz}				
- Output Power: 10mW
- Output Impedance: 75 Ω
- Operation Temperature: -10° to +50°
- Dimension: 26 x 26 x 33mm



TR-900C & TR434C

VIDEO TRANSMITTER

Introducing the World's smallest 900 and 434 MHz Video Transmitters. The XLT-900 and XLTL-454 Transmitters will deliver a sharp color picture up to 1000 feet away. This is the world's smallest transmitter of its kind. This transmitter has been developed for performance and convenience:

- You can monitor your baby on your TV.
- Watch your vehicle from your house.
- See who is outside your door on your TV using a camcorder or miniature pin hole video camera.
- Police or Fire personnel can send real-time images of dangerous situations back to mobile stations or partners.
- And many more...



FEATURES:

- Battery Operated: 9-12V (6-14V)
- FCC Approved
- Low Power
- Low Radiation
- Smallest Size: 0.8" x 0.6"
- Range up to 1000 Ft.
- Built-in Antenna
- High-quality Resolution
- Crystal Controlled
- No Audio
- 1 Year Warranty



FCC ID: OGR XLT-900

RECEIVER SPECIFICATIONS:

- Operating Voltage: 12-15 Volts
- Current Consumption: ~250Ma
- Reception Frequency: 902-928 MHz
- Channels: Two (switchable)
- Switching Time: Every 5-8 Seconds
- Audio/Video Outputs: RCA Type Jacks
- Antenna: ~15 CM. Whip (Std)
- Body Dimensions: 140L x 30H x 130W mm

SH-055

RF SIGNAL DETECTOR

Beeper Sized Camera/Mobile/Bug Detector with Vibrating Function

This unique device detects wireless cameras, cellular phones, bugs and other RF devices. Avoid being recorded unknowingly or having your privacy invaded by eavesdroppers. It's made for general use, so there's no need for training!

Detecting Distance

Wireless cameras: 1.2 GHz - about 20 ft.; 2.4 GHz - about 5 ft.

Cellular phones: about 20 ft.

Specifications

Size: 87 x 55 x 24 mm
Weight: 85 g (including battery)
Power: 3VDC (2 AAA batteries)
Detecting Frequency: 50 MHz – 3 GHz
Warning Mode 1: Audible beep and LEDs
Warning Mode 2: Vibration and LEDs
Warning Mode 3: Silent, LEDs and earphone output
Sensitivity Tuner: Eliminates environmental interference



SH-005

RF SIGNAL DETECTOR

Lipstick Tube Sized Covert Camera/Mobile/Bug Detector



This unique device detects wireless cameras, cellular phones, bugs and other covert RF devices. The small size allows you to carry it anywhere, anytime.

Detecting Distance

Wireless cameras: 1.2 GHz - 3.5 yards; 2.4 GHz - 3 ft.

Cellular phones: 1.5 yards

Specifications

Size: 79 x 28 x 15 mm
Weight: 26 g (including battery)
Power: 6VDC (2X CR2032 Lithium battery)
Frequency Range: 50 MHz – 3 GHz
Warning Mode 1: Audible beep and LED display

TRD-800

R.F. TRANSMITTER & TAPE RECORDER DETECTOR



The R.E.I. TRD-800 Tape Recorder/R.F. Detector was pioneered and developed by our engineers to protect your information by "silently vibrating" in the presence of a tape recorder or R.F. bugging device. Designed to be worn on the body, the silent mode vibrator is totally covert in operation and alerts you only to the presence of a recorder or bug, which is then readily identified by the corresponding alert L.E.D.'s located on the TRD-800 panel. In addition, telephone/room bugs and tracking devices can also be detected by the TRD-800 making this the most compact, versatile unit available today for personalized R.F. and tape recorder detection.

SPECIFICATIONS:

- Detects Tape Recorder & R.F. "Bugs"
- "Super Sensitive" Pocket-size Integrated Circuit Design
- Dual Mode Wristwand Antenna
- Ident. L.E.D.'s for both Detection Circuits, with On/Off Selectability (Night Use)
- Silent VIBRATOR Alert, with On/Off Selectability
- Manual Reset for Ident. L.E.D.'s with Auto Level Control
- Low Battery L.E.D. indicator
- Rechargeable Battery Pack (self-contained)
- Rugged, Aluminum Aircraft Construction
- Weight: 170 Grams
- Size: 22.2 x 57.2 x 8.9 mm
- 3 Year Warranty



CPM-700

COUNTERSURVEILLANCE PROBE/MONITOR

The CPM Countersurveillance Probe/Monitor provides five of the “most desired sweep functions” in one package.

1. R.F. probe “sniffs” your environment for hidden phone, room or body bugs, remote signals, computer, Fax or Telex transmitters, video transmitters, pulsed tracking transmitters, and even wide band frequency hopping or “burst” bugs.
2. V.L.F. probe tests your A.C. outlets, phone lines, or suspicious wires for very low frequency “carrier current” signs.
3. Auxiliary audio input allows you to listen to telephones or lines for “hotmikes,” hookswitch bypass and “infinity” bugs, also unknown wires and cables can be tested for wired microphones.
4. After a sweep, the alarm monitor guards against new devices brought in, remote control activation, or someone tampering with your equipment.
5. The 24-hour “evidence” recording output will store suspicious sounds on a standard cassette recorder while you are away.



UNCOVER HIDDEN DEVICES QUICKLY AND SILENTLY

DETECT AND LOCATE quickly and silently all major categories of electronic surveillance, including: • Room, phone, and body bugs that are transmitting your conversations • Video transmitters watching your every move • Vehicle tracking beepers giving away your location • Infinity bugs, hook switch bypass or reversals “turned-on” to your conversations • Wired microphones listening inside a wall • Computer, Fax or Telex transmitters “reading” your information • Tempest leakage.

**Even at high security levels where a spectrum analyzer may be employed, the CPM is an invaluable tool for detecting ultra-sophisticated frequency hopping or “burst” bugs.*

THE ALARM MONITOR MODE protects you after a sweep by continuously checking for: New devices brought in • Remote control activation • Nearby two-way communications • Phone line tampering.

RECORD ON TAP while you are away, storing evidence on: • Sounds of an eavesdropper installing a bug or tap • Noises of an intruder “snooping” in your office • Unauthorized usage of your equipment.

FEATURES:

- Rapid detection and location of electronic surveillance devices
- Ease of operation, highly effective with limited training
- Silent covert detection and location “gives you the advantage”
- High R.F. sensitivity can locate a bug as low as 1 microwatt
- Total spectrum coverage from 200 Hz to over 3 GHz with no holes or gaps
- Active R.F. and V.L.F. probes “pump” signals for lower noise and more sensitivity
- Optional probe extensions allow unit to monitor remote locations
- Balanced high gain audio input with AGC and filter
- “Compressed” bargraph covers 6 ranges
- Status display shows operating conditions
- Fully adjustable pulsing LCD segment indicates alarm trip point
- Selectable silent/tone alarm output
- Powered by alkaline or optional nicad battery includes A.C. adapter/charger
- Sweep kit easily fits inside a briefcase
- Self-instruction and example tape included
- Backed by a 1 year written warranty



VLF/FILTER PLUG-IN



AUXILIARY AUDIO INPUT

JM-10

PHONE LINE ANALYZER

The Phone Line Analyzer uses microprocessor technology to continually monitor and protect your telephone, fax and modem from interception. It detects RF transmitters on the line or in the room. It warns you audibly or silently if any telephone tampering is taking place. It also protects your line while you are away. It is easy to set up and maintain operation. It requires no batteries. It is packaged in a hard shell case with AC adapter included. The Phone Line Analyzer is FCC approved.



JM-20

RF DETECTOR



The JM-20 is the highest quality personal RF detector on the market. Its compact size enables you to conceal it on your body for private sweeping of wireless listening devices. In the RF mode, the unit will signal you in case of danger. It can also be used as a quality sweep unit with the additional antenna included. It comes in a hard shell case with earphone and rechargeable nicad battery. 1 MHz - 3 MHz Five Section Bargraph.

JM-20F

RF DETECTOR

WITH BARGRAPH & FREQUENCY DISPLAY

The RF Detector, JM-20F, is the latest technology in hand held radio frequency detection. It incorporates a sophisticated microprocessor circuitry which makes sweeping for transmitters effective and efficient without complicated adjustments. It features a 10 digit liquid crystal frequency display, ultra sensitive 16 section bargraph. It also has a microprocessor filter circuitry which prevents nuisance alarm from random noise frequency, silent vibration alarm, battery low indicator, and built-in Nicad battery. The frequency range is from 1 MHz-3GHz with a battery life of 6 hours. Size is 3.3"x2.7"x1.2" Comes in a hard shell case with AC adapter.



GT-350

SECURE PHONE


- Tapping Detector by red color of LED indication. When someone is using a compromise by taps (wire or wireless) recorders and unauthorized eavesdroppers on PTT C/D lines, the tapping detector phone can give you a LED indication.
- Privacy protection by "On/Off" switch or red color of LED indication. Switch privacy to "On" position – No one can listen to your conversations through the extension phones. Switch privacy to "Off" position – When somebody is listening to your conversation through extension phones or using a compromise by taps (wire or wireless), recorders and unauthorized eavesdroppers on PTT C/D lines or extension phones, the tapping detector phone can give you a LED indication.
- Green color of LED indication for the normal status.
- Tone/pulse switchable with last number re-dialed.
- Dual tone ringer with slide volume control
- Electronic type of hands-free dialing.
- 10 Memories for both tone and pulse.
- Reset.
- Memo card included.
- Long distance call controller is available for both tone and pulse.



SD300RF

SMOKE DETECTOR/R.F. DETECTOR

The SD300RF is a smoke detector with a transmitter detector built in that alerts you to the presence of hidden transmitters. The SDD-3 will detect any body worn transmitters that may come into your office or home and silently alert you with a lit L.E.D. They will never know that you know. Only the SD300RF gives you all these features at an affordable price.



SPECIFICATIONS:

- Powered by a 9 volt battery
- 1 Year Warranty
- L.E.D. Alert
- Adjustable to its environment
- Battery Life: 96 Hrs. (continual use)

JM-20M

MICRO RADIO FREQUENCY DETECTOR

The JM-20M incorporates the latest technology in radio frequency detection, built small enough to wear on your body without being noticed. The JM-20M can also be used to sweep areas that you suspect may be under R F surveillance. The unit will vibrate to alert you in the presence of a radio frequency.



Features:

- Extremely small size for easy concealment
- Full spectrum coverage (10MHz - 3GHz)
- Silent alert for personal notification
- Extended battery life (standby 500 hours)
- Built in antenna
- Size - 4" x 1 1/4" x 1/2"



JM-30

VOICE STAMPING DTMF DECODER TELE-RECORDER CONTROL



The JM-30 will convert any vox recorder into an automatic telephone recorder. In addition, it will translate the dialed number to voice, and will replace the traditional tones into actual spoken numbers. While playing the tape back (on any player), you will hear the dialed numbers being spoken. The JM-30 translates dialed numbers into Spanish or English.

Features:

- FCC approved
- Bi-lingual
- Operates with any VOX recorder
- Micro-processor technology
- Compact size
- Voice stamping DTMF decoder
- Tele-recorder control
- Long battery life (1,500 Hr.)



MICRO-VCR

SHARP 8MM VCR

Super small 8mm VCR with color 4" LCD monitor

Plug any of our cameras directly into the video input for use as a body worn unit. Sit in your car outside and use one of our wireless receivers to record a wireless camera signal. This even has a remote control you can keep in your pocket or across a room. Mount it on a tripod if you choose. Great for body worn applications (fits in most body harnesses, fanny packs and purses). The battery charging unit also doubles as an AC adapter. This mini VCR package contains everything you need.

Features:

Cassette: 8mm, record/playback: **2 hrs with standard tape**
Monitor: 4" full color LCD screen, TFT active matrix
Power: 3.6 volt Ni-MH battery or AC adapter
Dimensions: 6 1/2" x 4 1/2" x 2 5/8" approx.
Weight: 1 1/2 lbs.



Includes: Locking professional carrying case with shoulder strap, wire remote control, battery, charger, video/audio in/out cable.

P.I. SET

KJB SECURITY'S NEW P.I. SET HAS EVERYTHING FOR YOUR SURVEILLANCE NEEDS

This set really does have everything. A 900 MHz receiver, 2.4 GHz receiver, micro VCR with 4" LCD screen, time/date generator and enough battery power to run the set for 40 hours. Accessories include AC adapters, two micro VCR batteries and battery packs for cameras. The main power batteries are even rechargeable.



ANG-2200

ACOUSTIC NOISE GENERATOR

The ANG-2200 is designed to generate voice band noise energy as a countermeasure for audio listening devices. In conjunction with the TRN-2000 and the OMS-2000, the ANG-2200 creates a complete masking system that allows normal conversation while frustrating eavesdropping devices that rely on acoustic leakage. This technology is highly effective against contact microphones and reflected laser or microwave listening devices. The true random noise source has no statistical repeatability. The dual channels provide independent control for the power level and equalization, which lends itself to the use on a variety of surfaces.

ANG Accessories:

TRN-2000 - Transducer used to inject acoustic noise into walls, ceilings, windows, plumbing, and air ducts.

OMS-2000 - Onmi directional speaker is used to project acoustic noise into drop ceiling air spaces, closets, and crawl spaces.

EAR-200 - Electro-acoustic receiver used to evaluate the level of audio leakage and set the specific masking level.

Specifications:

* Size: 1 5/8 x 4 3/16 x 7 inches (4.1 x 10.6 x 17.8 cm)

* Weight: 2 lbs. (.93 kg)

* Each Channel:

Output voltage: 10 Vp-p @ 6Ω (3Ω min load)

Frequency range: 200 Hz – 3 kHz (±3dB)

Equalizer: LF 250Hz ± 15dB, HF 2.5 kHz ± 15dB)

* Power: 12V DC @ 1A, (AC adaptors supplied for 120 or 240 VAC)



PNG-2000

PORTABLE NOISE GENERATOR



The PNG-2000 is designed as a portable acoustic noise generating unit that can be used in a variety of ways. The noise generating circuitry has been optimized for voiceband noise masking against listening devices and is designed to reduce the effectiveness of eavesdropping devices such as microphones and tape recorders. When multiple units are used in concert, a complete environment masking system can be easily installed in any environment. The PNG-2000 can be mounted to smooth surfaces

using suction cups or simply placed in an area where potential eavesdropping devices may be present.

The PNG Advantages

Optimized voiceband noise masking for acoustic interference against listening devices. (Acoustic noise is tailored to voice frequencies).

Mounts easily to windows using suction cup (included) to defeat the high tech laser threats.

Mounts easily to walls for protection against listening devices that rely on acoustic leakage (ie. contact mics, spike mics, human ear).

Portable: Can be carried easily in coat pocket. Multiple units fit easily in a briefcase.

Stylish anodized aluminum construction designed for ruggedness and portability.

Specifications:

* Size: 5.38 x 3.38 x 1.25 inches (13.6 x 8.59 x 3.18 mm)

* Weight: 12 oz. (340.2 g)

* Audio Frequency Range: 300Hz - 3KHz

* Output Sound Level: MAX 92 dB @ 4 ft.

* Power: two 9 volt alkaline batteries or AC transformer (120 or 240 VAC)

* Battery Life: typically 7 hrs. at 1/2 level; 2 hrs. at full level.

* Includes: Carrying case, AC transformer, and suction cup window/wall mounting kit.



PNG 2000 AND AC ADAPTER
IN CARRYING POUCH

TDG-028

THE NEW TELE-DATA GUARD KEEPS YOUR CALLS PRIVATE...AND MORE.



If during a phone conversation the green light goes out, someone has activated a tap or picked up an extension. Press the red button to resume talking, now with caution. When Tele-Data Guard is installed on all your extensions, the extension you pick up automatically disconnects the others! No more running to turn off the answering machine. LED also tells you – before you pick up – if the line is in use. Like a mini-phone system, protecting your faxes or modems from interruption, saving you steps, and insuring your privacy. Measures just 3-1/2"x2"x1" and requires no batteries.

TN-80

TELEPHONE TAP NULLIFIER

FEATURES:

- Made in USA
- FCC Approved
- Sturdy Metal Case
- Fine Tuning Capability
- NOT Powered by the Telephone Line
- Portable - Easily fits inside briefcase
- Easy Installation thru Standard Modular Jacks
- STOPS Automatic Recorder Activators
- Alerts You to Extension Pick-ups and Lineman's Tests
- Works on ANY Telephone or Fax Line ANYWHERE
- Deactivates Automatic Parallel Line Transmitters
- Alerts You to Infinity Transmitters and Line Tampering
- Lets You Make Calls in "Normal" or "Secure" Mode



- Monitors Exact Line Voltage in On-hook or Off-hook Condition
- Deactivates or Causes a Substantial Frequency Shift/ Power Reduction of Free Running Series Line Transmitters and Crystal Controlled Service Line Transmitters
- Jams any Listening Devices Which Use the Telephone Line to Listen to Your Room Conversations, such as Infinity Transmitters, Microphones, Hook Switch Bypasses, Line Drivers, etc.

GT-340

CALL FILTER PHONE

No More Unwelcomed Telephone Calls to Bother You From Now On!

- Tone/Pulse switchable with last number redial.
- Dual tone ringer with slide volume control.
- Electronic type of hands-free dialing.
- 10 sets of two touch memory, 4 sets of memory.
- 4 digit pass code for the CALL FILTER.
- Ringer is authorized to specify person by pass code only. Ringing sound is different from normal ringing sound for identification.
- CALL FILTER function allows only for the DTMF systems.
- Long distance control is available for Tone and Pulse.
- Electronic mute.
- "P" to "T"
- Reset button.
- Conversation time limitation by program from 0-9 minutes.
- Voice announcement built-in, in Arabic, English and Arabic/English.
- Automatic repeat Voice OGM three times every 10 seconds in case of wrong number entered.



TRX-20

DIRECT CONNECT TELEPHONE RECORD DEVICE

- The TRX-20 Telephone Record Unit adapts a dictating machine or tape recorder to both single or multi-line telephones.
- The TRX-20 is compatible with all modular type telephones.
- The unit is installed in a matter of minutes by merely “plugging” in the unit.
- The TRX-20 clearly records both ends of the phone conversation on any mini, micro or “C” cassette recorder.

IDEAL FOR RECORDING...

- Important Business Calls
- Price Quotations
- Engineering Specifications
- Conference Calls
- Dictation to Your Secretary while traveling
- Long Distance Calls - Domestic or International
- Medical Discussions
- Stock Quotations
- Legal Matters
- Insurance Claims



P5055

**Protect your phone line against taps and eavesdroppers!
Bright LED display keeps you informed of all your phone line's status.**



Using the latest advancements in electronic security technology, the TeleSafe allows you to use your telephone with confidence. The TeleSafe will instantly alert you to the presence of a tap or an eavesdropper on your telephone line. Automatic muting ensures that no sensitive information is revealed. The RF Detection mode employs cutting-edge circuit design to alert you to “bug” operating at frequencies up to 2 GHz! The adjustable sensitivity setting allows use of the TeleSafe in a full range of environments. The TeleSafe is the ideal telephone security device for home and portable applications.

TAD505

TELEGUARDER®

**Telephone Debugging, Privacy Assurance & Line Protection Device.
Offers you the highest level of telephone security and privacy!**



TAD505 SERIES

- Anti-Bugging/Monitor - Prevents your line from being bugged, detected or monitored.
- Anti-Unlawful Recording - Prevents your telephone conversation from being unlawfully recorded.
- Anti-Line Cutting - Protects your line from being cut or damaged.
- Anti-Unlawful Dialing - Protects your line from being intentionally, unintentionally or unlawfully dialed.
- Intercom Privacy - Keeps your telephone conversation private and prevents monitoring through the extension.

DTMF

DIAL DECODER



- The performance of the decoder depends on voice quality, so put the decoder closer to the place where voice generates.
- If the voice generated from tape recorder, use the same one to record and play.
- The DTMF Dial Decoder allows you to retrieve phone numbers off of telephone calls or recorded calls.

DR-16

DIGITAL VOICE RECORDER

KEY FEATURES:

- **USB Interface:** Support various applications and quick uploading and downloading
- **USB Hard Drive Function:** You can use our Digital Voice Recorder as a portable USB hard drive or data back-up device. You can save any file format (MS word, doc, txt, zip, jpg...etc.) into our Digital Voice Recorders. You can also send these files to someone by using our DV-Explorer software/
- **Alarm clock function:** can be set with messages or sound and play automatically at the requested time to alert you to some action and give you the information
- **Timer recorder function:** can receive and record radio broadcast automatically daily, weekly or monthly
- **Repeat & A-B repeat function:** can play over and again as you chose interval A-B
- **Various playback speed:** can select 3 steps – Fast, Standard, Slow – can be controlled by 20% speed up & down
- **Total 495 messages with 5 separate files (99 messages in each file):** can be recorded and search played in 5 different files up to 495 messages
- **ARS (Automatic Recording System):** prevents unnecessary recording when there is no sound or voice
- **Mode / Pause**
 1. **Mode:** easy to select SP (short time play) and L (long time play) mode
 2. **Pause:** During recording or playback



Accessories



DR-8

DIGITAL VOICE RECORDER



(ACTUAL SIZE)


Record over 8 hours with the smallest digital voice recorder on the market.

Introducing the SIMS digital voice recorder - the revolutionary recorder with the longest recording time available in an ultra-sleek, compact form factor. Capture over 8 hours of personal dictation as well as important meetings, conferences and even telephone conversations. This innovative recorder includes all the accessories you'll need such as an AC adapter, external handsfree microphone, voice manager software and phone cable adapter.

SPECIFICATIONS:

- RECORDING TIME : LP-502min. / SP-233min.
- RECORDING SYSTEM : built-in flash memory (16MB)
- NUMBER OF MESSAGES : 99 messages in each file, the total 396 messages
- INPUT : built-in microphone & external microphone & line-in
- OUTPUT : built-in speaker & earphone & line-out
- POWER SUPPLY : DC 3v, two "AAA" batteries
- BATTERY LIFE : approx. 10 hours
- BIT RATES : LP-4.7kbps / SP-9.5kbps
- WEIGHT : 64g (41g : without batteries)
- DIMENSION : 102 x 36 x 17 (mm)

• ACCESSORIES



SG-407 & SG-401

SCOPES

PEN SCOPE
SG-401



MINI SCOPE
SG-407



DP-1



VOICE PEN DIGITAL RECORDER W/LASER POINTER

Top quality amazing digital pen recorder that gives you amazing crisp clear 90 minutes of recording time. This new state-of-the-art digital recorder is built into a pen design and has a bright laser pointer at the top of it.

Features:

- Portable Pen Type Design
- Digital PC Interface
- Laser Pointer
- Highly Sensitive omnidirectional built-in microphone
- Record Mode Lets You Select The Voice Quality And Time For Your Use
- Automatic Power Off When Digital recorder Not In Use
- Hold Button Locks Buttons To Protect The Digital Recorder From Being Pressed Accidentally.
- Remaining LED numbered Recording Time Displayed
- 9 Level Digital Volume
- Gift Boxed

Digital Voice Pen by Samsung. This remarkable digital recorder is portable and Pen-type design, digital PC interface, also a laser pointer, high sensitive omnidirectional built in microphone, record mode that lets you select the voice quality and time for your use. Automatic Power Off when digital recorder is not used. Hold button locks buttons to protect digital recorder from being pressed accidentally, the digital recorder sounds like a beeper whenever pressing buttons, the remaining recording time is displayed and so easy to check the recording time, digital volume that lets you adjust the volume in 9 levels, Maximum recording time is 138 minutes 56 seconds.. Accessories include earphone, AAA battery, user manual, external devices connection cable, PC interface cable and Voice Manager Install CD. A remarkable product. Now in Stock for immediate shipment.

DR-10

DIGITAL VOICE RECORDER

Voice-activated PC-compatible micro-bar digital audio/telephone/cell phone recorder with 9+ hours record time

Features:

- Voice-Activated
- PC Compatible
- Streamlined Bar Design
- Flexible Fast-Forward and Rewind With Jog Button
- One-Button Eraser
- High-Resolution EL Backlight LCD Display Window
- 20+ Hours Record Time (on two AAA batteries - included)
- Built-In 45db Microphone
- Built-In Speaker
- Built-In Audio-Out Jack
- Built-In Line-Out Jack
- Built-In Earphone Jack
- Audio-Transfer Feature (to standard cassette via audio-out jack)
- Audio-Transfer Feature (to PC line-out jack)
- Windows 98, ME, 2000 compatible



IMPORTANT NOTICE:

Can you legally record that telephone conversation? "Yes," says the Federal Communications Commission (Rule 64, Subpart E). You may legally record phone conversations, as long as you let the other party know you are recording. You may have heard that you need to sound a beep-tone every 15 seconds, but that isn't necessary. Verbal notification at the beginning of the taped conversation will do just as well. Local regulations on the matter do vary, so we recommend you check with your utilities commission. Courtesy would also dictate sensitivity to those callers who request that you not record their conversation. Some people are uncomfortable with the idea of being recorded, just as some are uneasy in front of a camera lens. Surreptitious third-party interception of phone conversation is illegal. Check your state guidelines on recording your own two-party conversations.

MONITOR

THE MONITOR

FEATURES:

- Voice Activated...can be used for Conference Recording
- Telephone Ready...has Tele Recorder built inside
- Up to 8 hours on C-120 cassette tape
- Comes with rechargeable batteries, AC adapter and charger
- Direct connect and built in inductive microphone
- Compact and transportable

ACCESSORIES INCLUDE:

- 120 Tape
- Modular Duplex Jack
- Phone Recorder Cord
- Rechargeable batteries and charger



GTTR

2-WAY TELEPHONE RECORDER w/DTMF AND CALLER I.D.



FEATURES:

- Tel. 2-way conversation recorder with 2 lines
- LCD Display in 16 characters of dot matrix
- Workable with one C/O Line
- With speed control for extending tape recording time
- Workable with standard telephone, EPABX or PBX which has output 36V or 24V system
- Built-in "VOX" (Voice Activation) to be able to work with any kind of key phones of EKTS System
- Workable for both Tone & Pulse systems
- Auto-Record Outgoing called telephone numbers/incoming caller's telephone numbers, 2-way telephone conversation, and time stamp (month/day/time) with LCD display. Meanwhile, whole data will be recorded into the cassette tape for storage.
- To record caller's telephone number and time stamp compatible with CALLER-ID systems of "DTMF", "FSK", & "ETSI"
- Recorded telephone number will be speech by voice IC in English automatically during tape in playing mode
- Non-Record for the self-call in temporary by key in the pass code
- Personal normal tape recorder with "MIC" built-in
- Record type selectable (to record in "NORMAL" status or "VOX" - Voice Activation - or "TIMER" - 0~9 Minutes) by self-program for saving space of cassette tape
- I/O mode selectable (to record all outgoing calls only or all incoming calls only or both) by self-program for saving space of cassette tape
- Normal cassette tape player
- Monitor
- Battery low indication
- New data indication
- Earphone jack built-in
- Power: Adapter - DC 6V, 300mA or UM-3 battery X 4pcs

TCM-1

TIE CLIP MICROPHONE

THE TCM-1 is perfect for discreet recording with a camcorder or voice recorder. The condenser microphone is sensitive enough to capture voices from across the room. It is a perfect accessory for anyone recording audio information.

KEY SPECIFICATIONS/ SPECIAL FEATURES:

- With on/off switch
- Attached belt clip
- Available for video camcorder or voice recorder
- Frequency response: 50 to 18,000 Hz
- Type: electret condenser microphone
- Impedance: 1000 ohms at 1,000 Hz
- Sensitivity: -65 dB +/- 3dB at 1,000 Hz
- Power supply: 1.35 volt mercury battery
- Polar pattern: omnidirectional



RN405

LONG PLAY MICRO TELEPHONE RECORDER

Are you tired of having an important telephone conversation and forgetting an important piece of information after you hangup the phone? Do you long to be able to remember the exact wording that was said during business calls or those precious moments said between you and your loved ones? Then you need the power and the versatility of the RN405 Telephone Recorder.

FEATURES:

- 6 hours of recording time on a 90 minute micro cassette tape.
- Quality recording so you can understand every word.
- Voice activation so you never miss a word.
- Small and compact so it can be carried in a pocket with ease.
- Comes with everything needed to hook up to your telephone line.



T-830

New Micro Cassette Recorder With Universal Cellular Interface



FEATURES:

- Corded Telephone and Mobile Phone Recording
- Built In Microphone For Memo Tape Recording
- Dual Tape Speed (Normal And Slow Speed)
- Rewind / Fast Forward
- Pause Switch
- Volume Control
- Call Monitor Feature
- Auto Stop
- 2 - AA Batteries Operation
- Adaptor Jack 3V DC, 300mA Center Negative Female Plug

Our Completely remodeled Micro Cassette Recorder stresses quality and now comes with a universal cellular interface so you can record conversations on your cellular phone as well as your regular conventional telephone. A voice activation feature records only when there is sound. The Micro Cassette Recorder is conveniently small to take with you on trips and store when not needed, saving space and making it easy to place almost anywhere. The stylish design makes this unit great for the business professional and the home owner alike. Half Speed recording doubles the length of time you can achieve on a single tape.

P5075

DIALED NUMBER RECORDER



The advanced Dialed Number Recorder II captures every detail of your telephone conversation, recording both sides with utmost clarity. Packed with powerful features, the unit has a built-in LCD panel displaying time, date and dialed numbers. Information is stored on cassette, and displayed again upon reviewing the tape. The unit is compatible with single and multi-line phones. Automatic recording starts the unit when the phone is in use or manual operation starts silently at any time without "clicks" on the line. This device enables you to record entire conversations, or program the unit to record only the first portion of each call. It can be set to voice control mode, recording only conversations and eliminating silent periods or hold time from your recordings. Slow speed mode permits over five hours of recording per standard 120 minute cassette. The Dialed Number Recorder II provides high performance recording for the detail-oriented professional.

TR-600

TELEPHONE INFORMATION RECORDER

*Finally!!! A Five Hour Telephone Recorder and Caller ID in one.
Displays the telephone number and name of person calling.*

The Telephone Information Recorder represents the ultimate in telephone recording capability. Not only does this sleek unit clearly record both sides of a telephone conversation, while capturing and displaying all dialed telephone numbers, but it also identifies the name and number of the party calling you!* Automatic recording enables the unit to start only when the phone is in use. The built-in LCD displays all data; caller's name, incoming and outgoing dialed telephone numbers, as well as the date and the time of the call! This innovative model features two-speed recording. There is also a switchable voice-control mode to eliminate silent periods on the tape to attain the maximum recording time. The TR-600 will decode tone and pulse signals.



- Auto-record telephone conversation
- Personal normal tape recorder with "MIC" built in
- Normal cassette tape player
- Monitor
- Earphone jack built in
- With speed control for extending tape recording time by double duration

* This feature requires Caller ID service as provided by telephone company.

MIC SET

SPECIFICATIONS:

Transmitter

Transmitting

Frequency: F1:171.015 MHz
F2:171.905 MHz

FM Band

Max. Deviation: \pm 2KHz

Power Source: DC 3V (UM - 3 battery x 2)

Controls: 1. Power Switch
2. Channel Selector Switch

LED: Power On

Receiver

Receiving

Frequency: F1:171.105 MHz
F2:171.905 MHz

Sensitivity: 10dB uV for 20dB S/N

Power Source: DC 3V (UM-3 battery x 2)

Controls: 1. Power Switch
2. Channel Selector Switch

LED: Power On

FCC Approved



P5046

PEN ACTIVATED RECORDER

Record your conversations discreetly!

Easy activation by just removing the pen!

This attractive micro recorder allows you to discreetly record your conversations by utilizing an innovative built-in pen activated switch. Recording begins by simply removing the pen which allows one to keep the unit discreetly in one's pocket or bag. To stop recording, simply replace the pen in the convenient holder. The recorder features two-speed operation which provides up to 90 minutes of uninterrupted recording time per side of a micro-cassette. Switchable voice control mode permits elimination of silent periods on the tape for even more efficient use of tape. An external microphone jack allows the connection of remote microphones. The unit is constructed using a sturdy mechanism and will provide years of use.

FEATURES:

- Pen activation
- Ultra compact size
- Voice controlled recording
- Two-speed Record/Playback
- Tape counter
- Cue/Review and Pause
- Power: 3 V DC
- Battery: 2 AA cells
- Weight: 8 oz.
- Dimensions: 6"x1/4"x1"
- Tape speeds: 1.2 cm/sec. 2.4 cm/sec

It is the user's irresponsibility to ensure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.



AT-3400

AIR TASER INTELLIGENT SELF-DEFENSE

The AIR TASER™ is a hand held, non-lethal self-protection system, small enough to fit in your purse or car, and light-weight enough to remain a convenient part of your person, whether you are walking, jogging, shopping or parking. Not considered a firearm, it uses compressed air to launch tiny barbs or probes attached to 15 ft. of wire. When these probes make contact with an assailant or his clothing, the air taser™ sends powerful electronic pulses (called t-waves™) through the wires, which instantly incapacitate the assailant (or attacking animals) for 1-15 minutes, and without causing any permanent injury. During this time it is recommended you drop the air taser™ and leave the threatening area.



THE AIR TASER™ HAS TWO COMPONENTS - THE POWER HANDLE AND THE AIR CARTRIDGE. THE POWER HANDLE CONTAINS ALL OF THE ELECTRONICS. IT CAN BE USED BY ITSELF AS A POWERFUL "STUN GUN." SNAP IN THE AIR CARTRIDGE, AND NOW THE SYSTEM CAN PROJECT PROBES UP TO 15 FEET. AFTER USE, SIMPLY THROW OUT THE AIR CARTRIDGE, REPLACE IT WITH A NEW ONE AND THE WHOLE SYSTEM IS READY TO GO.

EFFECTIVE TARGET AREAS



M-18

EQUIPPED WITH

- Instructional video
- Practice target
- 2 air cartridges
- Carrying strap
- Ribbed safety grip
- Carrying case
- Hi-impact molded



EAR-2000

BOMB DETECTOR

(This product is intended for training and test purposes only and should not be used in surreptitious manner.)

The EAR-2000 (Bomb Detector) will listen to virtually any surface with the built-in contact element. Simply place the contact against the surface to be tested (metal, air ducts, plumbing, conduit, windows, etc.). The internal automatic gain control will deliver clear, undistorted sound. The EAR-2000 can be connected to any standard tape recorder. The recorder output can also be used with audio spectrum analyzers and other measurement equipment for detailed analysis.



SE4000

SUPER EAR

A Complete Personal Sound Amplifier System

The high tech multi-element microphone is covered by a protective foam windscreen and mounted in an acoustically engineered sound boom that swivels 180 degrees for maximum directionality. Accessories include a binocular mounting clip and velcro strips for attaching the unit to binoculars, and a stainless steel pocket clip for indoor and outdoor use.

FEATURES:

- Pick up bird calls from 100 yards away.
- Enjoy the sounds of nature as never before.
- Mounts directly onto binoculars.
- Attaches to pocket, belt or other gear.
- Can be used with tape recording devices.

APPLICATIONS:

Outdoors

Nature Observations • Bird watching
Sporting Events • Camping • Hiking

Indoors

Concerts • Lectures
Meetings • Theater • Watching TV



Lightweight premium quality stereo

VC-PHONE

VOICE CHANGER PHONE


This elegantly styled telephone protects your identity during phone conversations while adding to any phone or office decor. Easy to use controls allow you to digitally change your voice. This unit offers 8 different masking levels allowing your voice to sound as low or as high as you wish.



VC-11

VOICE CHANGER II

Now you can answer the telephone without being recognized. The Voice Changer II offers up to 8 different voice altering settings. One step hookup to your telephone's handset enables this unit to be compatible with virtually all telephones, even office systems. This unit also features a built in amplifier allowing complete control over your handset volume. Compact and battery powered, this unit is easily portable.



CAM 1

MINIATURE B&W CCTV PINHOLE CAMERA SET

This is an ideal camera for covert video operations. It is designed for low light situations with a 0.1 lux and a high resolution of 420 TV lines. The battery power pack (included) is excellent for the remote locations where finding an AC receptacle is a problem. This camera is housed in a rugged metal frame designed to withstand countless installations. Also included in the hard shell carrying case is an AC adapter and mounting bracket.

ALSO AVAILABLE IN COLOR.....CAM-5



CAM 2

MINIATURE CCTV PINHOLE CAMERA SET

Here is one of the world's smallest video cameras on the market. Its size is a mere 25 mm x 25 mm. It has a high resolution of 420 TV lines and a low light of 0.1 lux. It comes in a hard shell case with power supply and battery pack. With this camera you can view a complete room through a 1/32" hole.

CAM 3

MINIATURE B&W BULLET CAMERA

This is an ideal camera for business or home security. It comes in a standard lens which is weatherproof for outdoor use or a pinhole lens for covert applications. It has a high resolution of 400 TV lines and a low light sensitivity of .01 lux. Mounting brackets included for unlimited mounting possibilities. Power adapter is also included.



CAM 4

MINIATURE B&W BULLET CAMERA WITH IR ILLUMINATION



The CAM 4 is designed to work under less than ideal conditions. It is weatherproof so it will stand up to anything Nature throws at it. The IR illumination built in and the 400 lines of resolution allows for a crystal clear picture in total darkness for up to 15 ft. Included is 60 feet of cable mounting bracket and AC power adapter.



DSC-001

DUMMY CAMERA

For those of us who want that feeling of security without the high cost of installing and maintaining a real security system, we have the dummy camera. Even under close inspection, you cannot tell that there is not a real camera watching your every move. It is ideal for your home or business. Simply mount on wall or ceiling and feel secure. Comes with blinking L.E.D.

WE CAN BUILD VIDEO INTO JUST ABOUT ANYTHING. BELOW ARE A FEW EXAMPLES OF THE MOST FREQUENTLY REQUESTED PRODUCTS. FEEL FREE TO CALL US WITH YOUR IDEAS.



**Oak Mantle Clock
MC-1000**



**Small Wall Clock
VWC-30**



**Large Office Clock
VWC-30L**



**Desk Clock
K8511**



**Wrist Watch
WA-VC-1**



**Side View
Smoke Detector
SD-300S**



**Bottom View
Smoke Detector
SD-300**



**Motion Sensor
Func. or Non-Func.
PIR-F or PIR-NF**



**Touch Lamp
VL-300**



**Pencil Sharpener
PS-300**



**Emergency Light
EL-300**



**Exit Sign
EX-300**



**Plant
PL-300**



**Book
BKCAM2**



**Teddy Bear
TB-300**



**VCR
VTR CAM**



**Digital Clock Radio
C1230**

**Make and Model
will vary according
to availability.**



**Air Purifier
AP-300**



**Pager
PA-VC 1**



**Speaker
SPEAKER CAM**

We use only the highest quality miniature CCD cameras in all of our products.

PH-CAM

3.7MM PINHOLE LENS CAMERA



	SPECIFICATIONS	
	B & W	COLOR
RESOLUTION	400	380
LUX	.01	0.1
FIELD OF VIEW	92%	90%
POWER	8.2-14VDC	8.2-14VDC

ENCASED CAMERA

3.7MM PINHOLE LENS CAMERA



All cameras come with 6 inch pigtail with RCA jack for video and power plug for power. AC adapter is optional.

VIDEO ACCESSORIES

RCA CABLES



T-200 10-HOUR TAPE



5" WIRELESS MONITOR / RECEIVER



POWER & RCA CABLES



F2000

960 HOUR TIME-LAPSE VCR

If you are looking for a high quality Time-lapse video recorder that's easy to use, reliable and affordable, the new F2000 model is exactly what you need. The F2000 can record from 6 hours all the way up to 960 hours with built-in time and date generator and event and alarm inputs. It's the last VCR that you will ever need.

Features:

- Total of twelve time-lapse recording modes
- Automatic resumption of system operations after power failure
- Adjustable time and date display
- Built-in time and date generator
- Event and alarm inputs
- Repeat record-possibility of automatic rewind and recording
- 2-speed forward and backward slow motion playback
- Battery back-up for up to three months
- Audio recording available
(6 hours mode only pre-AMP selectable)
- Easy on-screen programming
- High quality video images on playback
- Instant timer recording ITR (30 minutes to 6 hours)
- Daily programmable timer
- Switchable line on pre-AMP microphones input
- Compatibility with observation systems



GREAT NOVELTY ITEMS

POW

ULTRAVIOLET THIEF DETECTION POWDER



VPOW

VISIBLE STAIN THIEF DETECTION POWDER

EXS

ENVELOPE X-RAY SPRAY

Envelope X-RAY Spray turns opaque paper temporarily translucent, allowing the user to view the contents of an envelope without ever opening it. 30 seconds after the application, the envelope will return to its original state, leaving absolutely no markings, discoloration, or other indications of use. Each can treats several hundred square inches. Non-flammable, non-conductive, and non-photochemically reactive. Environmentally-friendly (contains no Freon). Size 6 1/4"x2". Net weight: 5 oz. WARNING: Not to be used on U.S. Mail, except by, or with the express permission of, the addressee. Not shippable by Air.



SPY SUNGLASSES

- Designed for tracking and anti-tracking.
- No need to turn around to see who is following you! It's just like the rearview mirror in your car.
- Breaking all the rules of tracking. You don't have to sneak up behind the suspects anymore. You can walk ahead of them.
- 100% protection against ultraviolet rays.

AVAILABLE IN TWO TYPES:

1. **SG-01** -- Golden Frame
2. **SG-02** -- Black Frame




PRO TRAK 1

The PRO TRAK 1 System is a third generation computerized location system for Security, Surveillance, and Law Enforcement operations. The System uses a discreet digital transmission method to provide the user with...

- **DISTANCE TO TARGET**
- **DIRECTION TO TARGET**
- **TARGET DIRECTION OF TRAVEL**

System features include:

- Computerized Receiver with a high speed Intel processor
- Supertwist LCD Display with backlight controls
- Simultaneous monitoring of up to 10 targets
- Digitally encrypted signalling (confidential to owner)
- Virtually untraceable signalling for security operations
- Displays distance to target in feet (75 to 65,000)
- Tracking range is 3 mile range with Mag Mount and Compass transmitters; 4.5 mile range with Stolen Vehicle transmitters; 3 mile range with BCT Executive transmitters.
- Internal Gel-Cell Battery with Home and Vehicle Chargers
- Rugged Aluminum Case with water resistant controls
- Magnetic Vehicle Antenna and Hand-held Directional Antennas are standard. Aircraft Antenna and a portable Monitoring Antenna is available.



- Available transmitters include: Magnet Mount Vehicle Tracker, Digital Compass Transmitter, Two Ounce High Security Surveillance Transmitter, Stolen Vehicle Locator Beacon (with Digital Compass option), Body Transmitter, Belt Clip Transmitter, and Child Monitoring (kidnap) Transmitter.

MINI-EAR

MINIATURE PARABOLIC MICROPHONE



Our new miniature parabolic mic is lightweight and easy to use. Hear sounds 100 feet away like they are close. Its compact size allows easy transportation and volume control lets you adjust to different ranges. A limiting capability even compensates for overpowering sounds.

DETECTEAR™

Hear conversation with pinpoint accuracy at 300 yards with the DetectEar™. This powerful surveillance and investigative tool incorporates a 20-inch diameter snap-together parabolic dish combined with the most advanced audio circuitry available. The DetectEar™ is also equipped with a 3-band equalizer to adjust for specific sound frequencies, recording jack, and communications input jack for outstanding surveillance capabilities. The DetectEar™ can be mounted to a tripod for extended use and comes with a hard carrying case for discreet and easy transportation. Powered by only 2AAA batteries, the DetectEar™ is your ultimate professional listening device.



GP-1

GPS/CELLULAR TRACKING SYSTEM



The GP1 is a cellular based GPS tracking system. It communicates the GPS coordinates back through the telephone network to your computer. The software, (included with all equipment), will display the location, direction of travel, speed, and altitude on a map that automatically repositions the screen keeping the vehicle on the computer display. The GP1 tracker comes complete with a battery pack, GPS antenna, receiver/modem, and all necessary hardware for installation. Operation of the GP1 is simple. The GP1 can be used with its battery pack or connected directly to the vehicle's 12-volt system. The unit can be permanently installed or stuck to the underside of the vehicle with a strong magnet that comes connected to the unit. The battery pack also has these same magnets. The cellular and GPS antennas come with 12-foot cables that will allow installation far from the GP1. The cellular antenna can be located any where on vehicle (reception will depend on location). The GPS antenna must be located in such a way that a clear view of the sky is seen. The antenna can be placed under glass or plastic without attenuation. The GP1 receiver/modem is connected to a telephone line and to the serial port of a computer. The software comes in two CD's and is very simple to understand. Detailed maps of the entire United States are included. If the GP1 is to be used outside of the United States, we supply you with software that works with maps that can be scanned into the computer. To begin tracking, you will call the GP1 tracker, it will automatically answer and begin sending GPS coordinates to your computer. At this time, you turn on the GP1 receiver/modem and click on START TRACKING. The vehicle will be displayed as a green arrow, pointing the direction of travel. To view other data, you can click on NAVIGATE. This will display the direction of travel in degrees, the speed of the vehicle, and its altitude. When you have finished tracking, just turn off the GP1 receiver and the connection will be terminated. It's just that simple. To reestablish a connection, you would call the GP1 again. The software will allow you to log all data collected for viewing at a later time or to use in a report.

SPECIFICATIONS

TRANSMITTER..Cellular amps transceiver
 Size.....4 7/16 x 2 3/8 x 1 3/16 inches
 Weight.....11.7 ounces
 Power source.....Battery pack or 12- volt DC
 RangeContinental US
 GPS Receiver.....8 channel

RECEIVER/MODEM communication medium....1200 baud FSK
 Power9-volt (included) alkaline
 Weight.....5.9 ounces
 Size.....5 x 2 1/2 x 1 inches
BATTERY PACK.....12-volt (life expectancy 3 to 4 days)

GP2

GPS/PAGER TRACKING SYSTEM



The GP2 is a GPS tracking system that relays the GPS coordinates to you via an alphanumeric pager you carry, (not included), or through the internet system to your email. The GP2 consists of a two-way flex pager, GPS receiver and control circuitry. It comes complete with GP2 tracker (magnets attached), GPS antenna, pager antenna, battery pack (magnets attached), and all necessary hardware needed to connect the unit to a vehicle for power source. The receiver will be an alphanumeric pager or your email service. When purchased, we will ask you whether you want the coordinates sent to your email service or your pager. We will program the unit to deliver the messages to one of these mediums. The operation of the GP2 is as follows. The GP2 is attached to the vehicle and powered up by the battery pack

(included) or to the 12-volts of the vehicle. The antennas are positioned on the vehicle so that the GPS antenna has an unobstructed view of the sky (can be placed under glass or plastic), and the pager antenna for best reception (will depend on location). To initiate the unit, you will be given an 800 number and a pin number to call. When you call the service, it will ask for a 3-digit code. This code is just yours. After the call, the GP2 will be paged and within a few minutes it will relay the coordinates to you. The coordinates will be displayed as the longitude, latitude, time stamp, and in the case where more than one vehicle is being tracked, an ID code. With the software we supply with the system, you can enter the coordinates into a computer. The location will be displayed on a detailed map in the center of the screen. Paging the GP2 multiple times will give you an idea of direction of travel.

SPECIFICATIONS:

TRANSMITTER Two-way flex pager (service billed to the customer at \$12.00/mo.)
 Size.....5 1/4 x 4 1/4 x 1 1/2 inches
 Weight15 ounces
 Power sourceBattery pack or 12-volt DC charger included.
 RangeMetropolitan areas of the US
 GPS receiver8 channel

SOFTWARE.....Delorme Street Atlas 6.0 (included)

BATTERY PACK12volt (life 3 to 4 days) rechargeable
 Weight2lbs. 3.5 ounces
 Size.....5 1/4 x 4 1/4 x 1 1/2 inches

RECEIVER.....Alphanumeric pager or email provider (supplied by the customer)

Accuracy of the GP2 is typically plus or minus 25 meters.

UVSL

ULTRA VIOLET SPY LIGHT

This Two Part System allows you to mark cash, write secret messages, codes, phone numbers, etc., without worrying about the information being seen. The ink from the pen remains invisible until examined under the "Spy Light". The Light is powered by 2 AA batteries (not included) and has belt clip on the back and is activated by a push button on the front. Its' compact size which is only 3"L x 1.3"W x 1"D is the smallest of its' type in the world. It fits in the palm of your hand, allowing the user to view the invisible ink without everyone around noticing its use. It has a long shelf life, comes with 1 pen.



VC168

PORTABLE VOICE CHANGER



No one will know who is calling when you use the VC 168. It changes your voice by digitizing it, which enables you to make your voice sound very high like a woman or very deep like a man. The degree of change can be adjusted as you are speaking. The VC 168 Voice Changer has a sixteen point pitch adjustment feature that can be activated by pushing a button located in the battery compartment. Compact and battery powered (9V), easily transportable.

MODERN EDITION BOOK SAFE™

On a shelf, desk or dresser this cleverly designed, updated version of the classic book safe looks exactly like an ordinary book. Which it is, until we hollowed out a secret 4"x7" compartment, and inseted an elegant felt lined, 2-section chamber with flush fitting lids. Perfect for hiding cash, jewelry, or anything else you may want to conceal, and the lids keep things from falling out. Since these are real books with varying titles, they remain inconspicuous even to the cleverest burglar and snoop. Only you will know the true story!

NOTE: Because these are real books, titles will vary and cannot be specified.



Hide your valuables in plain sight!

Cleverly designed to look like ordinary food jars.

Perfect for hiding cash or jewelry!

Only you will know what is hiding in your pantry.

PBS-2



MYS-3



DVR-4-8-16

DIGITAL RECORDERS



Standard Features:
Rack mount standard
on DVR-16
Rewritable CD
80 GHz Hard Drive
Audio

System Features: 30 or 120 fps (frames per second)

Camera format resolution: 352 x 240 or 480 x 640

System displays available hard drive space, system date/time

Camera displays 1, 4, 6, 8 or 16 pictures at a time (depending on number of cameras)

1 card system to avoid multiple interrupt conflicts

Motion detection to save time for data retrieval

Wavelet compression for better image quality

Programmable multiple detection zones for each camera

Point-to-point or multicast transmission of live video (Web Cam server, IP Multicast & TCP/IP Server)

Web-based user interface for easy operation

Send alarm / message to monitoring units or communication devices when it detects intruder

Motion detection, Round-the-Clock, or by Schedule recording mode

Interaction with your UPS device

Multiple passwords to view authorized cameras

Playback while monitoring

Remote playback, remote recording

Unlimited users view from remote without taking extra bandwidth (LAN)

Sensitivity level of motion detection

Snapshot option

Remote view:

IP Multicast (LAN)

Remote View (TCP/IP, ISNA, PSTN, Intranet, Internet)

GeoCenter (TCP/IP, Intranet / Internet)

Built-in Web Browser (HTTP) Remote recording allowed

Remote zoom-in / zoom-out allowed

Storage of Video Date:

Log File back up to HDD, MO, CD-ROM, zip, or remote backup through LAN

Log File management for each camera with Year, Date, Time information

Log File playback with zoom-in / zoom-out

Log File prints in single frame (like photo)

Camera Management:

Individual camera configuration, naming, video quality

Sequential scan among cameras. Send alarm when camera loses signal

Computer Features: Rack or Case mount available

1.5 GHz (or better) Pentium 4 CPU

80-120 Gig hard drive (larger optional)

256 MB of RAM

FX-12

WALK-THROUGH WEAPONS DETECTOR

- Lightweight and portable; weighs just 55 lbs. (25 kg) and fits into the trunk of most cars
- One person set-up or break down takes less than 10 minutes
- Security applications in courtrooms, schools, night clubs, flea markets, sporting events, theme parks, political rallies, parties
- Lowest cost walk-through weapons detector available, about half the cost of most walk-throughs
- Runs on batteries or a 110 VAC wall outlet (220 VAC converter available)
- Simple, two-knob operation
- Detects ferrous (iron and steel) objects, even the tiny steel parts in a composite or aluminum FAA-test handgun
- Motion detector – responds only to moving targets; may be used near large, stationary metal objects
- Rainproof when battery operated
- Ruggedly built for years of service
- Serves as a real and “psychological” deterrent to carriers of contraband weapons
- Backed by a 2-year full warranty from the world’s oldest name in the business



CW-10

HAND-HELD WEAPONS DETECTOR

- Detects weapons made of all different types of metals
- Balanced and lightweight; weighs just 17 ounces
- All-metal, auto-tune circuitry – there’s no tuning required
- Alarm sounds and red Ultra-bright LED flashes when a target is detected
- State-of-the-art, surface-mount electronics ensures light-weight and dependability
- Ruggedly built with quality components for years of dependable service
- Simple, easy operation – just turn it on and start scanning
- Designed for use with the Fisher FX-12 Walk-Through Metal Detector
- Shock proof, rainproof, dust proof and splash proof
- Low battery warning – LED flashes and signal tone “beeps”
- Serves as a real and a “psychological” deterrent to carriers of contraband weapons
- Made by the world’s oldest and proudest name in metal detectors
- 2-Year full warranty



Digital camera security system

CYBEREYE-image



IC-100

When the camera detects or becomes aware of an intrusion it begins to load the image of the intruder in the IC, an operation inside the camera where it stores all the images. The convenience of this product is the fact that it needs no lighting at nighttime due to infrared, and it also gives the exact time and date for the customer's guaranteed evidence. The intruder won't be able to come upon the camera due to its small size and one has the leisure of enjoying the comfort of its easy installation.



This product can also be connected to the TV or any monitor which can be used as a CCTV camera as an everyday use. Also, as soon as an armed robber is detected, one can begin loading the picture by pressing the emergency key button from it's remote controller. The stored images can be seen through the television when it's properly connected to the video line.

Specifications

Description	EIA (60Hz)	CCIR (50Hz)
Image Sensor	1/4" CMOS B&W	1/4" CMOS B&W
Effective Pixels	320 x 240 Pixels	352 x 288 Pixels
Image Storage	42 image	32 image
Lens Angle	60°	
Min. illumination	0.5 Lux	
Lens	8 mm	
Power Supply	12V/500mA (AC Power Adaptor)	
Time Display	Year/Month/Day/Hour/Minute	
Dimensions	80mm(W) x 65mm(D) x 58mm(H)	
Weight	0.29 lb. (130g)	
Image Checking	TV and/or Monitor	
Remote Control	Armed, Off, Emergency	

* The above specifications of CYBEREYE-image may be changed for improvements without previous notice.

Features

1. Easy installation.
2. Can be used as a "silent witness" for car, home, and business vandalism or theft.
3. Displays time and date.
4. World's smallest internal memory storage digital camera (PIR activated).
5. Has a still shot camera that can take up to 47 pictures.
6. Pictures can be transferred to VHS tape for permanent records.
7. Due to infrared capability, it can also see in the dark.
8. For store owners, feel safe knowing that you can activate camera by pushing emergency button to catch any event in progress.

Applications

Home, Store, Office, Bank, Warehouse, Army, Car, Police Station, and any place which needs surveillance of intrusion.

Does your Security alarm speak to you? The CYBEREYE alarm does!

Security System

CYBEREYE


CYBEREYE will call 7 designated numbers (phone, mobile, pager) automatically as soon as it detects an intrusion or the early stage of a Fire, and inform the receiver of what is being detected by way of 3 different recorded messages (Intrusion, Fire, Emergency).

In addition, you can monitor the circumstances of a CYBEREYE through the microphone on it by a call, even from a distance. When you make up your mind that this is an Intrusion, you can scare the burglar away with your voice or call the proper authorities.



CE-200

OPTIONAL



Wireless Door Sensor

Wireless Sensor

Wireless Siren

Digital Image Capture

Protect your family and your property!

CYBEREYE Security Systems' Special Features:

1. No monitoring fees or binding contracts which can easily add up to hundreds of dollars a year.
2. No false alarms which can cost \$25 to \$100 per occurrence.
3. Notifies you immediately.
4. Capable of storing up to 7 numbers and automatically calling each one as soon as it senses a disturbance.
5. It is capable of distinguishing between an intruder and a fire.
6. Has an emergency button on remote control that can be used by elderly people or others who need immediate assistance.
7. Easy installation. (A 12-year-old can install it.)
8. Has siren capability. (Sound it off to scare away the intruder or keep it off to catch intruder in the act.)
9. It allows you to have 2-way communication. You can hear what is going on in your home and you can also speak where intruder will hear you. ("Hey! Get out of there!")
10. No wiring is required. Everything is wireless.
11. No need for a VCR, can easily hook up to your TV.
12. There is nothing like this on the market. This is unique, innovative, and inexpensive.
13. Time and Date Display. Also available in either black or beige.



CE-100

REMOTE GAME CAMERA SYSTEM



35mm Camera

- Uses standard film
- Day/Date or Time Stamp
- Completely automatic flash, film advance rewind and loading
- Can be used apart from the system

Infrared Detection

- Narrow beam trigger, just 4' wide at 40'

Highly Focused Sensor

Gamera® uses a highly focused sensing beam that is just 4' wide at 40'. Why the narrow beam? Because you want photos with the game in view, not just a leg in the corner of the film. Why a 40' distance? Because anything farther away is too small in the photo. Just like hunting, wait for the best shot, not the first.

Long Life in the field

Gamera® is powered by 4 "D" cell batteries for extra long life in the field. Sometimes you have to wait for the shot. Gamera® will be ready when the time comes.

Gamera® is a fully automatic 35mm camera system with an infrared detection device that automatically takes photos when it views a "heat" source. Sealed in a weatherproof case, and designed for long-term field use.

Performance Features

- Choose between 3/6/9/12 minute time delay
- Walk test to set camera aim
- 40' detection range
- Completely weatherproof

Technical Specifications

- Powered by 4 "D" batteries for extra-long life
- 6.5" x 6.5" x 4" box
- Operates to -10° F
- Camo Design

BIONIC EAR & BOOSTER

Magnify faint or distant sounds with the powerful **Bionic ear and Booster®** pinpointed sound amplifier/listening device. The Bionic Ear® increases sound by up to 40 decibels using an omni-directional microphone, a solid-state amplifier and hi-fidelity earphones for concert hall quality sound reproduction. When combined with the optional 12-inch parabolic Bionic Booster®, the Bionic Ear® becomes highly directional, allowing you to easily locate the sound of sounds and suppress background noises.

Hear mere whispers at incredible distances. Detect animal movements for nature observation or photography, or direct the microphone toward a distant conversation for surveillance or personal safety. Record bird calls and other sounds with the recorder output jack. The Bionic Ear & Booster® is the only pinpointed amplifier of its size available to the consumer market. Uses include surveillance, law enforcement, personal security, search and rescue, hunting, hard-of-hearing, wildlife observation, outdoor adventures, camping, birdwatching, and much more.

